



**WACKER  
NEUSON**  
*all it takes!*

# **Annex to Logistics manual**

**of Wacker Neuson Aftermarket &  
Services GmbH**  
Munich, Germany



**WACKER  
NEUSON**  
*all it takes!*

## Table of contents

<b>1</b>	<b>Addresses</b>	<b>2</b>
<b>2</b>	<b>Contact persons</b>	<b>2</b>
<b>3</b>	<b>Delivery times</b>	<b>3</b>
<b>4</b>	<b>Delivery logistics</b>	<b>3</b>
<b>5</b>	<b>Packaging logistics</b>	<b>4</b>
<b>6</b>	<b>Revision note</b>	<b>5</b>



## 1 Addresses

---

Wacker Neuson Aftermarket &  
Services GmbH

**Logistics Germany Nuremberg**  
Bremer Straße 152b  
90451 Nürnberg  
Germany

Tel.: +49 (0) 911 964 429-20

Fax: +49 (0) 911 964 429-61



## 2 Contact persons

---

Warehouse Nuremberg			
Position	Contact person	e-Mail	Phone number
Goods control station / shipping	n/a	Wareneingang.lgn @stute.de	+49 (0) 911964429-22 +49 (0) 911964429-20
Scheduling	Responsible scheduler according to the purchase order	See purchase order	See purchase order
Packaging planning	Marco Inzenhofer	marco.inzenhofer @wackerneuson.com	+49 (0) 8131 5978-793



### 3 Delivery times

---

Goods receiving times	
Nuremberg Opening hours	Monday to Friday 07:30 – 16:30

### 4 Delivery logistics

---

Upon delivery Wacker Neuson Nuremberg, a registration in the area "Goods receipt" is required with all of the shipping documents. Then a loading ramp or unloading zone is assigned.

The ordered materials have to be delivered on the address printed on the order.

Delivery addresses	
Warehouse Nuremberg	Bremer Straße 152 b 90451 Nuremberg Germany

The warehouses in Nuremberg is designed for rear unloading. In exceptional cases and by prior arrangement, side unloading can be organized. It is possible to drive on the trailer with the forklift.

The maximum weight per load unit at both locations is limited to 1.5 tones, the maximum length of load units is limited to 3.5 meters. Longer loading units must be registered at least one day before delivery so that smooth goods receipt and storage can be guaranteed.

Incoming goods personnel reserve the right to reject improperly packaged or damaged goods. In particular, if aspects relevant to work safety are present during unloading.




## 5 Packaging logistics

---

### Special characteristics of packing


#### Expandable pallets

When disposable pallets are used, it should be noted that chamfered floor boards (marked with red arrows in the sketch) are a prerequisite for the load carrier at Wacker Neuson Nuremberg to be shelf-ready.



#### Stacking frame

A maximum of five stacking frames may be used per pallet so that storage in the rack at Wacker Neuson Nuremberg is possible.



#### Container Management / Pallet Pool Management

In the logistics locations of Nuremberg, a manual pallet pool management is used. This achieves transparency concerning stock of reusable containers as well as container movements.

A 1-to-1 exchange of full containers for empties is only possible with pallets and lattice boxes, if agreed. The prerequisite here is that sufficient inventory is available at Wacker Neuson to be able to provide booked empties. If a 1-to-1 exchange is not possible, the differences are shown in the container management system.



## 6 Revision note

---

Version	Release date	Modified from	Brief description of change
1.1	June 2020	Aftermarket, COE	Removal warehouse Karlsfeld and update information for warehouse Nuremberg