



KRAMER
on the safe side

Annex to Logistics manual

of Kramer-Werke GmbH
Pfullendorf, Germany

Version 1.1. – 12/2020



Table of contents

1	Address	2
2	Contact persons	2
3	Delivery times	2
4	Delivery logistics	3
5	Small load carriers	3
6	Revision note	5



KRAMER
on the safe side

1 Address

Kramer-Werke GmbH

Wacker-Neuson-Straße 1
88630 Pfullendorf
Germany

Tel.: +49 (0) 7552 9288-0
Fax: +49 (0) 7552 9288-234



2 Contact persons

Position	Contact person	e-Mail	Phone number
Logistics planning	Mr. Erhardt	Markus.Erhardt@Kramer.com	+49 (0) 7552 9288-361
Packaging planning	Mr. Stehle	Philipp.Stehle@Kramer.com	+49 (0) 7552 9288-318
Scheduling	Responsible scheduler according to the purchase order	See purchase order	See purchase order
Goods control station	Mr. Kneissler	Christian.Kneissler@Kramer.com	+49 (0) 7552 9288-175

3 Delivery times

Goods receiving times	
Opening hours	Monday to Thursday 07:00 – 16:00 Friday 07:00 – 12:00



4 Delivery logistics

The entrance into the plant takes place via personnel at the marked gate, who opens the entrance in consultation with the goods acceptance department. Depending on the delivered goods or type of element, the vehicle is then appropriately assigned to the areas of rear unloading, side unloading or special open-air storage areas.

Empties from standard load carriers, such as Euro pallets or lattice boxes, are exchanged or an adjustment account for all suppliers is kept in the goods control station.

Supplier-specific load carriers, such as small load carriers, special load carriers etc. are returned by the goods control station or provided according to the defined minimum quantities. The costs of return are to be clarified with the procurement department in advance.

If the Wacker Neuson Group bears the costs, the return is generally carried out with the logistics partners of the Wacker Neuson Group (routing order).




The incoming goods personnel reserve the right to reject improperly packaged or damaged goods. This is especially the case if occupational safety aspects exist during unloading.

5 Small load carriers

Description	Dimensions	max. Weight	Material No.	Picture
EF 3120/Farbe grau	300x200x117	15 kg	1000341327	
EF 4140/Farbe grau	400x300x140	15 kg	1000341321	
EF 4220/Farbe grau	400x300x220	15 kg	1000341328	
EF 6140/Farbe grau	600x400x140	15 kg	1000341322	



KRAMER
on the safe side

EF 6280/Farbe grau	600x400x285	15 kg	1000341323	
SLK 2/Farbe blau	167x100x77	15 kg	1000341325	
SLK 3/Farbe blau	230x150x122	15 kg	1000341326	



6 Revision note

Version	Date of release	Modified by	Short description of the change
1.1	December 2020	PGP, COE	Point 2: Contact persons updated